

**ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT OF 150 KLPD  
DISTILLERY UNIT,**

**M/S. RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA  
LIMITED,**

**Rajaramnagar, Post- Sakharale, Taluka- Walva, District- Sangli,  
Maharashtra.**



**Prepared by**



**VASANTDADA SUGAR INSTITUTE**

**Manjari (Bk), Pune, Maharashtra 412 307**

**Telephone: (020) 2690 2100, 2690 2343/7 Fax (020) 26902244**

**Website: [www.vsisugar.com](http://www.vsisugar.com)**



Accredited by QCI/NABET for EIA consultancy services, (Certificate No.  
NABET/EIA/2023/RA 0208)

Recognized R & D Center by Department of Scientific and Industrial Research (DSIR),


Ministry of

Science and Technology, Government of India

Recognized Post Graduate & Research Centre of 'Savitribai Phule Pune University'

**April to December 2022**

## Environmental Clearance (EC)

<b>ENVIRONMENTAL CLEARANCE</b>	 <b>Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division)</b>																		
	To, The Managing Director RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD. Rajaramnagar, Post Sakharale, Taluka Walva, Sangli, Maharashtra-415414																		
	<b>Subject:</b> Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding																		
<b>PARIVESH</b> <i>(Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environment Single-Window Hub)</i>	Sir/Madam, This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/MH/IND2/262285/1996 dated 09 Feb 2022. The particulars of the environmental clearance granted to the project are as below:																		
	<table><tr><td>1. EC Identification No.</td><td>EC22A022MH153726</td></tr><tr><td>2. File No.</td><td>No. J. 1101/50/96 - IA II</td></tr><tr><td>3. Project Type</td><td>Expansion</td></tr><tr><td>4. Category</td><td>A</td></tr><tr><td>5. Project/Activity including Schedule No.</td><td>5(g) Distilleries</td></tr><tr><td>6. Name of Project</td><td>Expansion of distillery unit from 75 to 150 KLPD</td></tr><tr><td>7. Name of Company/Organization</td><td>RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD.</td></tr><tr><td>8. Location of Project</td><td>Maharashtra</td></tr><tr><td>9. TOR Date</td><td>03 Feb 1997</td></tr></table>	1. EC Identification No.	EC22A022MH153726	2. File No.	No. J. 1101/50/96 - IA II	3. Project Type	Expansion	4. Category	A	5. Project/Activity including Schedule No.	5(g) Distilleries	6. Name of Project	Expansion of distillery unit from 75 to 150 KLPD	7. Name of Company/Organization	RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD.	8. Location of Project	Maharashtra	9. TOR Date	03 Feb 1997
1. EC Identification No.	EC22A022MH153726																		
2. File No.	No. J. 1101/50/96 - IA II																		
3. Project Type	Expansion																		
4. Category	A																		
5. Project/Activity including Schedule No.	5(g) Distilleries																		
6. Name of Project	Expansion of distillery unit from 75 to 150 KLPD																		
7. Name of Company/Organization	RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD.																		
8. Location of Project	Maharashtra																		
9. TOR Date	03 Feb 1997																		
	The project details along with terms and conditions are appended herewith from page no 2 onwards.																		
	(e-signed) A.K Pateshwary Director IA - (Industrial Projects - 2 sector)																		
	Date: 24/03/2022																		
	<i>Note: A valid environmental clearance shall be one that has EC identification number &amp; E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.</i> This is a computer generated cover page.																		
EC Identification No. - EC22A022MH153726    File No. - No. J. 1101/50/96 - IA II    Date of Issue EC - 24/03/2022    Page 1 of 10																			

This has reference to your online proposal no. IA/MH/IND2/252285/1996, dated 09<sup>th</sup> February, 2022 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the Expansion of distillery unit from 75 to 150 KLPD by M/s. Rajarambapu Patil Sahakari Sakhar Karkhana Ltd. located at Rajaramnagar, Post Sakharale, Taluka Walva, Dist. Sangli, Maharashtra.

3. All distillery projects are listed at S.N. 5(g) of Schedule of Environment Impact Assessment (EIA) Notification under category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC), whereas sugar industry is placed at 5(j).

4. The ToR has been issued by Ministry vide letter No. IA-J-11011/50/96-IA II(I), dated 26<sup>th</sup> March, 2021. Public Hearing for the proposed project has been conducted by MPCB, Dist. Sangli vide dated 08<sup>th</sup> July, 2021 at project site M/s. Rajarambapu Patil Sahakari Sakhar Karkhana Limited and chaired by District Collector, Sangli. The main issues raised during the public hearing are related to concerns with particulate air pollution. It was informed that no litigation is pending against the project.

5. Ministry had issued letter vide F. No. J-11011/ 50/ 96 -IA II; dated 21<sup>st</sup> October 1997 and stated that the environmental clearance from the modernization of existing 75 KLPD distillery unit is not required under the provision of EIA notification dated 27<sup>th</sup> January, 1997 in favor of M/s. Rajarambapu Patil Sahakari Sakhar Karkhana Ltd. Hence the factory has obtained consent to operate from MPCB for 75 KLPD distillery unit. Current consent to operate is valid up to 31<sup>st</sup> August 2023.

6. Details of CTO Certified Compliance Report submitted by MPCB vide Letter No. MPCB/SROS/TB/534/21 dated 11/11/2021. CTO Certified Compliance Report is found satisfactory by the EAC and recommended the proposal.

7. The details of products and capacity are as under: -

S. No	Product Details	Existing Quantity	Proposed Quantity	Total Quantity
1	Rectified spirit & impure spirit (5%) or ENA& impure spirit (6%) or Fuel alcohol & impure spirit (5%)	75 KLPD	75 KLPD	150 KLPD
2	Fusel oil (by-product)	360	360	720 KLPD

8. Existing Total plot area of the unit is 75.69 Ha out of which built up area of existing sugar; cogeneration and distillery unit is 6.31 Ha built up area required for proposed expansion is approximately 1.29 Ha it will be made available from existing available land. Total greenbelt area requirement of i.e. 33 % on total

plot area is 24.98 Ha, out of which and unit has already developed approximately 16.79 Ha of area and remaining 8.89 Ha is proposed for greenbelt development during expansion. The estimated project cost is Rs. 10,424.09 lakhs. Total capital cost earmarked towards environmental pollution control measures is Rs. 4905 lakhs and the Recurring cost (operation and maintenance) will be about Rs. 1365.25 lakhs per annum. The project will generate additional employment for 50 persons of which 35 will be skilled and remaining semiskilled. Current workers at distillery are 73. Industry proposes to allocate Rs. 78 lakhs (0.75% of capital cost for brownfield project) towards Corporate Environment Responsibility.

**9.** There are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River Krishna is approx. 3.65 away from proposed site towards northeast.

**10.** Ambient air quality monitoring was carried out at 8 locations during December 2020 to Feb 2021 (winter season) and the baseline data indicates the ranges of concentrations as: PM10 (56.89 to 79.76  $\mu\text{g}/\text{m}^3$ ), PM2.5 (20.56 to 35.39  $\mu\text{g}/\text{m}^3$ ), SO<sub>2</sub> (15.63 to 25.52  $\mu\text{g}/\text{m}^3$ ) and NO<sub>2</sub> (21.49 to 37.69  $\mu\text{g}/\text{m}^3$ ). AAQ modeling study for point source emissions indicates that the maximum rise in GLCs after the proposed project would be 2.62  $\mu\text{g}/\text{m}^3$ , 1.007  $\mu\text{g}/\text{m}^3$ , 6.72  $\mu\text{g}/\text{m}^3$  and 3.60  $\mu\text{g}/\text{m}^3$  with respect to PM10, PM 2.5, SO<sub>2</sub> and NO<sub>2</sub>. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

**11.** Total water requirement is 456 m<sup>3</sup>/day distillery will be met from Krishna River through canal with permission from irrigation department. Raw spent wash will be concentrated in standalone Multi effect evaporation; Conc. spent wash of >55-60% solids will be burnt in new incineration boiler with coal or bagasse (During off-season of sugar mill). For spent lees, condensate and other effluent: Two stage biological treatment followed by tertiary treatment domestic wastewater (sewage) will be treated in STP.

**12.** Power requirement after expansion will be 2.8 MW during season it will be met from In house STG of 3.0 MW capacity. The distillery will require maximum 32 TPH steam, which will be fulfilled from new 32 TPH incineration boiler after augmenting its capacity appropriately. In case of use of juice or syrup as a feed, steam will be procured from sugar mill boiler of 140 TPH capacity.

**13. Details of process emissions generation and its management:**

The carbon dioxide emissions from fermentation process will be separated. CO<sub>2</sub> Recovery Plant takes CO<sub>2</sub> gas from the fermentation process passes through a series of purification processes namely - a stainless steel CO<sub>2</sub> foam trap to separate the gas, a deodorizer. The fully automatic systems carefully treat the CO<sub>2</sub> produced during fermentation.

**14. Details of Solid waste/Hazardous waste generation and its management:**

Sl No.	Waste	Quantity TPA	Disposal
1	Yeast sludge (dry)	25-30	Mixed into soil due to organic nature
2	Ash - total (considering coal and spent-wash)	22620	Sold to brick manufacturing units
3	Distillery CPU Sludge	150-170	Mixed into soil due to organic nature
4	Spent oil from DG	2-5 KL	Spent oil is burnt in boiler

**15.** During deliberations EAC sought the following information /commitments from PP:

- Entire sugar and distillery project shall be ZLD and no single drop of water shall be discharged outside of plant premises. The sugar and distillery unit shall be integrated.
- Biocomposting shall not be allowed.
- PP shall install CO<sub>2</sub> bottling plant within premises.
- PP shall use bagasse/agro-fuel as a primary fuel of boiler. Only in case of emergency or shortage of bagasse, PP shall use low sulphur coal with maximum sulphur content of 0.5%.
- PP shall meet 10% (500 KW) of the total power requirement from solar power.
- PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety.
- PP shall utilize fresh water 3.0 KL/KL ethanol.
- Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall also make necessary provisions of ash silo for its safe storage before utilization.
- The proposed budget allocation of Rs. 1.5 Crores towards CER and shall be used for construction/up-gradation for adopting three public schools building with provision of facilities e.g. Class rooms, Playground, Laboratory, Library, Computer class, Toilets, Drinking Water Facilities, Solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before the commissioning of project.

PP has submitted the desired information sought above.

**16.** The proposal was considered by the EAC in its 51<sup>st</sup> meeting held on 23<sup>rd</sup> - 25<sup>th</sup> February, 2022 in the Ministry, wherein the project proponent and their consultant M/s. Vasantdada Sugar Institute, presented the case. The Committee **recommended** the project for grant of environmental clearance.

**17.** The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project

Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

**18.** The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data is within NAAQ standards. The Committee has deliberated the action plan proposed by the project proponent to arrest the incremental GLC due to the project. The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

**19.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

**20.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion of distillery unit from 75 to 150 KLPD by M/s. Rajarambapu Patil Sahakari Sakhar Karkhana Ltd. located at Rajaramnagar, Post Sakharale, Taluka Walva, Dist. Sangli, Maharashtra**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

**A. Specific Condition:**

- (i). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

- (ii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iii). Total Fresh water requirement shall not exceed @ 3.0 KL/KL and will be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- (iv). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed in grain based mode and in molasses based mode, spent wash shall be dried and incinerated. Sugar factory and distillery unit shall be treated as an integrated complex and no form of composting shall be done. PP shall meet 10% (500 KW) of the total power requirement from solar power. PP shall use bagasse/agro-fuel as a primary fuel of boiler. Only in case of emergency or shortage of bagasse, PP shall use low sulphur coal with maximum sulphur content of 0.5%. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall also make necessary provisions of ash silo for its safe storage before utilization.
- (v). CO<sub>2</sub> bottling plant shall be installed within plant premises.
- (vi). PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (viii). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.
- (ix). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process Inorganic & evaporation salt shall be disposed of to the TSDF.
- (x). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw

material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

- (xi). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xii). The proposed budget allocation of Rs. 1.5 Crores towards CER shall be used for construction/up-gradation for adopting three public schools building with provision of facilities e.g. Class rooms, Playground, Laboratory, Library, Computer class, Toilets, Drinking Water Facilities, Solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before the commissioning of project.
- (xiii). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.
- (xiv). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xv). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

**B. General Condition:**

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to



assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**21.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

**22.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

**23.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**24.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

**25.** This issues with the approval of the competent authority.

**(Ashok Kr. Pateshwary)**  
**Director**

**Copy to: -**

1. The Secretary, Department of Environment, Government of Maharashtra, Mumbai 400 032

2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Ground Floor, East Wing, New Secretariat Building, Civil Lines, Nagpur- 440001 Maharashtra
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi -32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai – 22
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
6. The District Collector, District Sangli, Maharashtra
7. Guard File/Monitoring File/Parivesh portal/Record File

**(Ashok Kr. Pateshwary)**  
**Director**  
**E-mail: ak.pateshwary@gov.in**  
**Tel. No. 20819326**

Validity unknown

Digitally signed by Ashok Kr. Pateshwary  
Director  
Date: 3/24/2022 11:58 PM

EC Identification No. - EC22A022MH153726 File No. - No. J. 1101.60/96 - IA II Date of Issue EC - 24/03/2022 Page 10 of 10

## Point-wise Compliance of EC conditions

### A. Specific Conditions

Sr. No.	Particulars of Conditions	Compliance	Reference Documents
i.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented	Noted & complying All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project will be implemented. Environmental monitoring is being carried out.	Environmental monitoring reports (ambient air, surface water & ground water) attached as <b>Annexure I- A to C</b>
ii.	Total Fresh water requirement shall not exceed @ 3.0 KL/KL and will be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/ CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Factory is having water lifting permission from Krishna River MIDC lift irrigation scheme.  Factory is having rainwater storage of more than 60 days capacity. Collected water is used in the industry to reduce fresh water intake.  The management has controlled and restricted its fresh water intake @ 3.0 KL/KL Copy of water balance is enclosed as an evidence for the same. Thus, abiding by the condition.	Water balance enclosed as <b>Annexure II A.</b>  Water drawl permission attached as <b>Annexure II B</b>  Details of rainwater harvesting attached as <b>Annexure III.</b>
iii.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed in grain based mode and in molasses based mode, spent wash shall be dried and incinerated. Sugar factory and distillery unit shall be treated as an integrated complex and no form of composting shall be done. PP shall meet 10% (500	Civil work of incineration boiler installation and Construction of Evaporation unit is in process. Photographs of the same are enclosed herewith. Raw spent wash will be concentrated in standalone Multi effect evaporation; Conc. spent wash of >55-60% solids will be burnt in incineration boiler with bagasse as a primary fuel. As	Photographs of construction and covered fly ash transportation is attached as <b>Annexure IV</b>

	<p>KW) of the total power requirement from solar power. PP shall use bagasse/agro-fuel as a primary fuel of boiler.</p> <p>Only in case of emergency or shortage of bagasse, PP shall use low sulphur coal with maximum sulphur content of 0.5%. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall also make necessary provisions of ash silo for its safe storage before utilization.</p>	<p>mentioned in the EC order, coal will be used only in certain conditions such as low bagasse availability. Bagasse ash is rich in potash. Hence, it is given to farmer as soil enriching material. The factory has made provision to store the ash and given to the farmers periodically.</p> <p>Brick manufacturing unit will be install in due course of time.</p> <p>Solar- Installation of solar based power unit is in process.</p>	
iv.	CO2 bottling plant shall be installed within plant premises	Noted, Suppliers have been identified and work is in progress towards the same. We assure for abiding by this condition.	--
v.	PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health, Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection	We assure for abiding by this term that, Rs. 50 Lakhs/annum will be allocate for Occupational Health & Safety. In addition, PPE will be provided to workers.	Details of expenses made for Occupational Health Safety & Photographs of PPE and its training attached as <b>Annexure V-A &amp; B.</b>
vi.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees	Noted. The management comply this condition by organizing Mock drills related to safety. It also provides internal trainings to its workers. These trainings are part of risk assessment, emergency preparedness plans. The management will continue these practices even after expansion.	Photographs of existing training & mock drills attached as <b>Annexure VI.</b>
vii.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Fire Protection system has been implementing as per OISD 117. Installation of fire extinguishers, other equipment including sprinklers/Fogging system is in	Peso certificate attached as <b>Annexure VII.</b>

	Firefighting system shall be as per the norms. PESO certificate shall be obtained	process in the Fermentation unit, alcohol storage units etc.	Photographs of Fire extinguishers & firefighting system attached as <b>Annexure VIII.</b>
viii.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF	Noted. Yeast sludge is organic in nature. It will be mixed in to soil. Incineration ash of coal and spent wash will be used for making of bricks.	--
ix.	The company shall undertake waste minimization measures as below - (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Noted. This measures are included in the planning of the project. These will adopted after starting of the unit.	--
x.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Noted. The management assures you for abiding the said condition. Out of total land, greenbelt occupies 20.05 Ha of land. Number of trees exist at the end of season 2021-22 is 9330. Remaining 4.93 ha greenbelt will be planted before commissioning of the project.	Details and photograph of greenbelt attached as <b>Annexure IX</b>

xi.	The proposed budget allocation of Rs. 1.5 Crores towards CER shall be used for construction/ up-gradation for adopting three public schools building with provision of facilities e.g. Class rooms, Playground, Laboratory, Library, Computer class, Toilets, Drinking Water Facilities, Solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before the commissioning of project	As of now, Rs. 33,95,847.00 used for the CER activities. It includes Rs. 10,82,200.00 for educational activities, Rs. 364,640.00 for medical expenses and Rs. 19,49,007.00 towards Promoting sports activities amongst local youth.	Details of fund used for CER attached as <b>Annexure X</b>
xii.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.	Out of the total area, 15% area is allocated separately for parking purpose.	Photographs & Layout showing parking area attached as <b>Annexure XI</b>
xiii.	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions	Main raw material i.e. Molasses is stored in MS tank.	Photograph of molasses tank is attached as <b>Annexure XII</b>
xiv.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises	Noted. The management assures you for abiding the said condition. In existing unit OCEMS & web camera with flow meter for effluent is installed. Continuous online (24x7) monitoring system for stack emissions is also installed in the existing unit. For new stack, it will be installed before start of the project.	Photographs of existing OCEMS & web camera with flow meter for effluent attached as <b>Annexure XIII A</b> .  Photographs of existing OCEMS for stack emission attached as <b>Annexure XIII B</b>

xv.	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions	Environment Management cell has been constituted and in place in the Industry. A working lab setup is also available. This setup will be modified suitably to meet the environment monitoring and management requirements after the expansion.	Photographs of Environmental laboratory is attached as <b>Annexure XIV</b> . Structure of Separate Environment Management Cell attached as <b>Annexure XV</b> .
-----	--	---	---

### B. General Conditions

i.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted. There will be no deviations in the operations of the Distillery unit. The management is strictly adhered to the stipulated conditions.	--
ii.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	We have incorporated this aspect in the project planning. We assure you for abiding this condition.	--
iii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including	Noise control measures such as acoustic hoods, silencers, enclosures etc. are implementing. Earmuffs are provided to the workers in the	<b>Annexure XVI</b> noise monitoring reports complying with the condition. Photographs of



	acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	existing plant area and it will continue in new expanded unit. Regular maintenance of the equipment, thick greenbelt development has been undertaken in the plant to minimize the Noise.	acoustic hoods, silencers, enclosures attached as <b>Annexure XVII</b>
iv.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed & complying. CER budget has been allocated properly and accordingly utilization is in process. It is prepared based on the need and demand of the local public in the vicinity of the project area.	Photographs of CER activities attached as <b>Annexure XVIII</b>
v.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Complying with condition. The budget allocated for EMP activities is being utilized for the said purpose only. The funds were not diverted to any other activities. Some of the important EMP activities such as installation of ESP - Excavation work of ESP is in process. Similarly, foundation work of Condensate polishing unit (CPU) is in process.	Photographs of Excavation work for ESP & foundation work of CPU attached as <b>Annexure XIX.</b>
vi.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation,	Complied. EC copy has submitted to local village Panchayat, Collector office, MPCB, CEO Zilla Parishad	Acknowledgement copy of concerned dept. is enclosed as <b>Annexure XX.</b>

	Urban local Body and the local NGO, if any, from whom suggestions/representation, if any, were received while processing the proposal.	and BDO Panchayat Samiti Islampur.	
vii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Noted & being complied. This is first six monthly EC compliance report. It will be posted on the website of the company.	--
viii.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Factory has obtained consent to establish from MPCB for 150 KLPD distillery unit. (Consent issue date 31/08/2022). Factory has made application for the consent to operate on 08/01/2023. Factory submits Form-V time to time on MPCB portal. Link for the same is <a href="http://www.rajarambapusugar.com/portfolio/maharashtra-pollution-control-boards-consent/">http://www.rajarambapusugar.com/portfolio/maharashtra-pollution-control-boards-consent/</a>	CtO for existing distillery unit is attached as <b>Annexure XXI- A</b>  CtE for 150 KLPD distillery unit attached as <b>Annexure XXI- B</b> Application copy of Consent to operate for 150 KLPD attached as <b>Annexure XXI- C</b> Existing ESR for the financial year 2021-22 is attached as <b>Annexure XXI- D</b>
ix.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee	Noted & complied	Newspaper advertisement is enclosed as <b>Annexure XXII</b>

	and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.		
x.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted. We assure for abiding by this condition. As of now, the construction work is in process. Tentative time for completion of the installation work will be May 2023.	--
xi.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.	

## Annexure I



Environmental monitoring reports  
A. Ambient Air Reports

TEST REPORT				
Test Report No: -	GESEC/PRO/AAQM/2022-23/11/856		Report Date	28/11/2022
Sample ID: -	GESEC/PRO/AAQM/2022-23/11/856			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post – Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.			
Ambient Air Sample Details				
Type	Sampling Location		Sampling done by	
Ambient Air	Near Main Gate		GESEC	
	Sampling Time			
Start Time	Stop Time		Total Hrs.	
09:30 A.M	05:00 P.M		480 Min	
Metrological Data/Environmental Conditions				
Ambient Temperature °C	23.0	Wet Bulb Temperature °C	17.0	
Dry Bulb Temperature °C	23.0	Relative Humidity % RH	54.6	
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
21/11/2022	22/11/2022	23/11/2022	28/11/2022	
Name Of Instrument	Fine Dust Sampler	Date Of Calibration	19/10/2022	
Calibration Certificate No.	SSEC/FF/1524	Due Date of Calibration	18/10/2023	
Parameters	Method	Unit	NAAQ Standards	Result
Particulate Matter (PM <sub>10</sub> )	IS-5182 (PART 4):2019	µg/m <sup>3</sup>	100.00	63.36
Particulate Matter (PM <sub>2.5</sub> )	IS:5182 (PART 24):2019	µg/m <sup>3</sup>	60.00	23.05
Sulphur Dioxide (SO <sub>2</sub> )	IS-5182 (PART 2):2017	µg/m <sup>3</sup>	80.00	17.91
Oxides of Nitrogen(NO <sub>x</sub> )	IS-5182 (PART 6):2018	µg/m <sup>3</sup>	80.00	21.84
Carbon Monoxide (CO)	MASA-822 3rd Edition	mg/m <sup>3</sup>	4.00	0.20
Ozone(O <sub>3</sub> )	Method 411, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	180.00	30.69
Ammonia(NH <sub>3</sub> )	Method 401, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	400.00	8.25
Benzene(C <sub>6</sub> H <sub>6</sub> )	IS 5182 (Part 11) :2006 (RA 2017)	µg/m <sup>3</sup>	5.00	BDL
Benzo(a)Pyrene(BaP)	CPCB Manual Vol 1 2011	ng/m <sup>3</sup>	1.00	BDL
Arsenic(As)	MASA-822 3rd Edition	ng/m <sup>3</sup>	6.00	BDL
Nickel(Ni)	MASA-822 3rd Edition	ng/m <sup>3</sup>	20.00	BDL
Lead (Pb)	MASA-822 3rd Edition	µg/m <sup>3</sup>	1.00	BDL
Remark	<p>&gt; All above results are within NAAQ (National Ambient Air Quality) standards.</p> <p>&gt; BDL – Below Detectable Limit.</p>			
			<p>Mr. Vinod Hande (Technical Manager) Reviewed &amp; Authorized By</p>	
***END OF REPORT***				
Terms and conditions				
1. The report is refer only to the sample tested and not applies to the bulk.				
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.				
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.				
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.				
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.				
6. MoEF approved Lab by Govt. of India. From date: 16/02/2002 to 18/02/2004.				



A-72/C-11, Capital City, Tarwadi - Chakan Road, Chakan MIDC, PH-IV,  
Wage Nigrajo, Tal: Khed, Dist. Pune-410 501, Maharashtra.  
Mob: + 9645084620, 8421385421 | CN No.: U74900PN2013PTC149666  
E-mail: envirosafetyeng@gmail.com, gsec12@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001:2018 and ISO 14001:2015 Certified Company

TEST REPORT				
Test Report No: -	GESEC/PRO/AAQM/2022-23/11/857		Report Date	28/11/2022
Sample ID: -	GESEC/PRO/AAQM/2022-23/11/857			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.			
Ambient Air Sample Details				
Type	Sampling Location		Sampling done by	
Ambient Air	Near Sugar House and Liquor Gate		GESEC	
Sampling Time				
Start Time	Stop Time		Total Hrs.	
09:40 A.M	10:40 A.M		60 Min	
Metrological Data/Environmental Conditions				
Ambient Temperature °C	23.0	Wet Bulb Temperature °C	17.0	
Dry Bulb Temperature °C	23.0	Relative Humidity % RH	54.6	
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
21/11/2022	22/11/2022	23/11/2022	28/11/2022	
Name of Instrument	High Volume Sampler	Date Of Calibration	19/10/2022	
Calibration Certificate No.	SSEC/FF/1528	Due Date of Calibration	18/10/2023	
Parameters	Method	Unit	NAAQ Standards	Result
Particulate Matter (PM <sub>10</sub> )	IS:5182 (PART 4):2019	µg/cum	100.00	65.13
Particulate Matter (PM <sub>2.5</sub> )	IS:5182 (PART 24):2019	µg/cum	60.00	26.10
Sulphur Dioxide (SO <sub>2</sub> )	IS:5182 (PART 2):2017	µg/cum	80.00	18.25
Oxides of Nitrogen(NO <sub>x</sub> )	IS:5182 (PART 6):2018	µg/cum	80.00	25.62
<b>Remark:-</b>				
➤ All above results are within NAAQ (National Ambient Air Quality) standards.				
		  <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By		

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report can not be reproduced wholly or in part and can not be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MOEF approved Lab by Govt. of India. From date: 16/02/2022 to 29/02/2024.

Page 1 of 1

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
 ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No. -	GESEC/PRO/AAQM/2022-23/11/859		Report Date	28/11/2022
Sample ID: -	GESEC/PRO/AAQM/2022-23/11/859			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.			
Ambient Air Sample Details				
Type	Sampling Location		Sampling done by	
Ambient Air	Near Distillery & Country Liquor		GESEC	
Start Time		Sampling Time		Total Hrs.
10:10 A.M		Stop Time		60 Min
11:10 A.M				
Metrological Data/Environmental Conditions				
Ambient Temperature °C	24.0	Wet Bulb Temperature °C	17.0	
Dry Bulb Temperature °C	24.0	Relative Humidity % RH	49.2	
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
21/11/2022	22/11/2022	23/11/2022	28/11/2022	
Name Of Instrument	High Volume Combined Sampler	Date Of Calibration	19/10/2022	
Calibration Certificate No.	SSEC/FF/1526	Due Date of Calibration	18/10/2023	
Parameters	Method	Unit	NAAQ Standards	Result
Particulate Matter (PM <sub>10</sub> )	IS-5182 (PART 4):2019	µg/cum	100.00	60.83
Particulate Matter (PM <sub>2.5</sub> )	IS-5182 (PART 24):2019	µg/cum	60.00	21.45
Sulphur Dioxide (SO <sub>2</sub> )	IS-5182 (PART 2):2017	µg/cum	80.00	14.91
Oxides of Nitrogen (NO <sub>x</sub> )	IS-5182 (PART 6):2018	µg/cum	80.00	18.02
Remark:-				
➤ All above results are within NAAQ (National Ambient Air Quality) standards.				



*V. Hande*  
 Mr. Vinod Hande  
 (Technical Manager)  
 Reviewed & Authorized By

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

The report is refer only to the sample tested and not applies to the bulk.  
 The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.  
 The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.  
 Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.  
 We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.  
 MoEF approved Lab by Govt. of India. Form date. 16/02/2022 to 29/02/2024.

## B. Surface Water Reports

TEST REPORT			
Test Report No – GESEC/PRO/W/2022-23/01/644		Date of Reporting	27/01/2023
Sample ID - GESEC/PRO/W/2022-23/01/644		Sample Details	Farmewadi (Krishna river)
Name & Address of the Customer - M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post – Sakharale, Tal: Waiwa, Dist.: Sangli, State: Maharashtra.		Type of Sample	Surface Water
		Volume Of Sample	2 lit Plastic Can
		Sample Status	Sealed
		Sample Collected By	GESEC
		Date of Sample Collection	21/01/2023
		Date of Sample received in lab	22/01/2023
		Analysis start Date	23/01/2023
	Analysis End Date	27/01/2023	
WATER ANALYSIS REPORT			
Parameters	Result	Unit(s)	Standard Method
Physical Parameters			
pH	7.54	pH Unit	APHA 4500 H+B
Total Suspended Solids	5.04	mg/l	APHA 2540 D
Total Dissolved Solids	131.28	mg/l	APHA 2540 C
Total Solids	136.32	mg/l	APHA 2540 B
Conductivity	195.94	µmhos/cm	APHA 2510 B
Chemical Parameters			
Total Alkalinity (as CaCO <sub>3</sub> )	10.72	mg/l	APHA 2320 B
Total Hardness (as CaCO <sub>3</sub> )	52.64	mg/l	APHA 2340 C
Calcium (as Ca)	14.71	mg/l	APHA 3500Ca B
Magnesium (as Mg)	3.85	mg/l	APHA 3500 Mg B
Chloride (as Cl)	15.08	mg/l	APHA 4500 Cl- B
Sulphate (as SO <sub>4</sub> <sup>2-</sup> )	9.72	mg/l	APHA 4500 SO <sub>4</sub> 2 – E
Residual Free Chlorine	BOL	mg/l	APHA 4500 Cl B
Silica (SiO <sub>2</sub> )	0.11	mg/l	APHA 4500 SiO <sub>2</sub> C
Demand And Nutrient Parameters			
Dissolved Oxygen	4.97	mg/l	APHA 4500 C
Biochemical Oxygen Demand (at 27°C for 3 days)	3.97	mg/l	IS : 3050 (Part 44)-2009
Chemical Oxygen Demand	10.05	mg/l	IS : 3050 (Part 58) – 2006
Phosphate (as PO <sub>4</sub> )	0.03	mg/l	APHA 4500 P D
Nitrate Nitrogen (as NO <sub>3</sub> -N)	1.95	mg/l	IS : 3025 (Part 34)
Sodium (as Na)	15.74	mg/l	IS : 3025 (Part 2)
Potassium (as K)	22.10	mg/l	IS : 3025 (Part 2)
			
		 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	
***END OF REPORT***			
Page 1 of 1			
<b>Terms and conditions</b> 1. The report is refer only to the sample tested and not applies to the bulk. 2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc. 3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC. 4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer. 5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement. 6. MetE approved Lab by Govt. of India. From date: 16/03/2012 to 29/02/2024.			



A-75/C-11, Capital City, Talwade - Chakan Road, Chakan MDC, Ph-N Village Nighoj, Tal. Khed,  
Dist. Pune-410221, Mob+ 9545084920, 8421365421 | CN No. - U74900PN2013PTC14966  
E-mail: envirosafetymg@gmail.com, gseec12@gmail.com | www.greenenvirosafe.co.in

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
and ISO/IEC 17025:2017 (NABL), ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT			
Test Report No - GESEC/PRO/W/2022-23/01/645	Date of Reporting	27/01/2023	
Sample ID - GESEC/PRO/W/2022-23/01/645	Sample Details	June Khed (Krishna River)	
Name & Address of the Customer - M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.	Type of Sample	Surface Water	
	Volume Of Sample	2 lit Plastic Can	
	Sample Status	Sealed	
	Sample Collected By	GESEC	
	Date of Sample Collection	21/01/2023	
	Date of Sample received in lab	22/01/2023	
	Analysis start Date	23/01/2023	
	Analysis End Date	27/01/2023	
WATER ANALYSIS REPORT			
Parameters	Result	Unit(s)	Standard Method
Physical Parameters			
pH	7.65	pH Unit	APHA 4500 H+B
Total Suspended Solids	6.81	mg/l	APHA 2540 D
Total Dissolved Solids	152.67	mg/l	APHA 2540 C
Total Solids	159.48	mg/l	APHA 2540 B
Conductivity	227.86	µmhos/cm	APHA 2510 B
Chemical Parameters			
Total Alkalinity (as CaCO <sub>3</sub> )	13.50	mg/l	APHA 2320 B
Total Hardness (as CaCO <sub>3</sub> )	166.42	mg/l	APHA 2340 C
Calcium (as Ca)	18.03	mg/l	APHA 3500Ca B
Magnesium (as Mg)	5.18	mg/l	APHA 3500 Mg B
Chloride (as Cl)	17.67	mg/l	APHA 4500 Cl- B
Sulphate (as SO <sub>4</sub> <sup>2-</sup> )	10.54	mg/l	APHA 4500 SO4 2 - E
Residual Free Chlorine	NDL	mg/l	APHA 4500 Cl B
Silica (SiO <sub>2</sub> )	0.25	mg/l	APHA 4500 SiO <sub>2</sub> C
Demand And Nutrient Parameters			
Dissolved Oxygen	4.52	mg/l	APHA 4500 C
Biochemical Oxygen Demand (at 27°C for 3 days)	4.10	mg/l	IS : 3050 (Part 44)-2009
Chemical Oxygen Demand	11.67	mg/l	IS : 3050 (Part 58) - 2006
Phosphate (as PO <sub>4</sub> )	0.05	mg/l	APHA 4500 P D
Nitrate Nitrogen (as NO <sub>3</sub> -N)	2.18	mg/l	IS : 3025 (Part 34)
Sodium (as Na)	17.50	mg/l	IS : 3025 (Part 2)
Potassium (as K)	25.76	mg/l	IS : 3025 (Part 2)
			
		 <b>Mr. Vinod Hande</b> (Technical Manager) <b>Reviewed &amp; Authorized By</b>	
***END OF REPORT***			

Page 1 of 1

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date: 06/01/2012 to 29/01/2024.





A-72/C-11, Capital City, Talwadi - Chakan Road, Chakan MIDC, Ph-IV, Village Nigbaji, Tal. Khert, Dist. Pune-410501. Mob + 9545064620, 842195421. CIN No. - U74900PN2013PTC140668  
E-mail - envirosafe@yeng@gmail.com, geseec12@gmail.com | www.greenenvirosafe.co.in

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB) and ISO/IEC 17025:2017 (NABL), ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT			
Test Report No - GESEC/PRO/W/2022-23/01/646		Date of Reporting	27/01/2023
Sample ID - GESEC/PRO/W/2022-23/01/646		Sample Details	Islampur (Lake Water)
Name & Address of the Customer - M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.		Type of Sample	Surface Water
		Volume Of Sample	2 lit Plastic Can
		Sample Status	Sealed
		Sample Collected By	GESEC
		Date of Sample Collection	21/01/2023
		Date of Sample received in lab	22/01/2023
		Analysis start Date	23/01/2023
		Analysis End Date	27/01/2023
WATER ANALYSIS REPORT			
Parameters	Result	Unit(s)	Standard Method
Physical Parameters			
pH	7.85	pH Unit	APHA 4500 H+B
Total Suspended Solids	10.56	mg/l	APHA 2540 D
Total Dissolved Solids	345.18	mg/l	APHA 2540 C
Total Solids	355.74	mg/l	APHA 2540 B
Conductivity	515.18	µmhos/cm	APHA 2510 B
Chemical Parameters			
Total Alkalinity (as CaCO <sub>3</sub> )	28.74	mg/l	APHA 2320 B
Total Hardness (as CaCO <sub>3</sub> )	151.87	mg/l	APHA 2340 C
Calcium (as Ca)	42.87	mg/l	APHA 3500Ca B
Magnesium (as Mg)	10.85	mg/l	APHA 3500 Mg B
Chloride (as Cl)	49.97	mg/l	APHA 4500 Cl- B
Sulphate (as SO <sub>4</sub> <sup>2-</sup> )	35.03	mg/l	APHA 4500 SO <sub>4</sub> 2 - E
Residual Free Chlorine	BDL	mg/l	APHA 4500 Cl B
Silica (SiO <sub>2</sub> )	2.51	mg/l	APHA 4500 SiO <sub>2</sub> C
Demand And Nutrient Parameters			
Dissolved Oxygen	2.80	mg/l	APHA 4500 C
Biochemical Oxygen Demand (at 27°C for 3 days)	7.21	mg/l	IS : 3050 (Part 44)-2009
Chemical Oxygen Demand	16.34	mg/l	IS : 3050 (Part 58) - 2006
Phosphate (as PO <sub>4</sub> )	0.25	mg/l	APHA 4500 P D
Nitrate Nitrogen (as NO <sub>3</sub> -N)	11.54	mg/l	IS : 3025 (Part 34)
Sodium (as Na)	35.03	mg/l	IS : 3025 (Part 2)
Potassium (as K)	28.76	mg/l	IS : 3025 (Part 2)
			
		 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	

\*\*\*END OF REPORT\*\*\*

Page 1 of 1

**Terms and conditions**



- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test results of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MetE approved lab by Govt. of India. From date: 16/08/2022 to 29/02/2024.

## C. Ground Water Reports

A-7/0/C-11, Capital City, Talwade - Chakan Road, Chakan MIDC, PH-IV,  
Village Nighega, Tal: Khed, Dist: Pune-410 501, Maharashtra.  
Mob + 91 90084020, 8421305471 | CIN No. : U74900PN2013PTC149000  
E-mail : envirosafe@yango@gmail.com, gesecc120@gmail.com

**GREEN ENVIROSAFE**  
Engineers & Consultant Pvt Ltd.

Recognised by Ministry of Environment and Forests (MoEF), Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No - GESEC/PRO/W/2022-23/11/871		Date of Reporting		28/11/2022
Sample ID - GESEC/PRO/W/2022-23/11/871		Sample Details		Well Water (Patil)
M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.		Type of Sample		Ground Water
		Volume Of Sample		2 Lit
		Sample Status		Sealed
		Sample Collected By		GESEC
		Date of Sample Collection		21/11/2022
		Date of Sample received in lab		22/11/2022
		Analysis start Date		23/11/2022
		Analysis End Date		28/11/2022
Open Well Sample 2				
Parameter	Result	Unit(s)	MPCB Irrigation Standards	Standard Method
pH	7.02	-	6.5 -9.0	APHA 4500, 23 <sup>rd</sup> Edition:2017
Total Ammonical Nitrogen	78.98	mg/lit	<50.0	APHA 4500 NH3-NO, 23 <sup>rd</sup> Edition:2017
Chlorides (Cl)	41.01	mg/lit	<600.0	APHA 4500 Cl- B, 23 <sup>rd</sup> Edition, 2017
Sulphates (SO <sub>4</sub> )	19.52	mg/lit	<1000.0	IS:3025 Part-24:2019
Zinc (Zn)	0.06	mg/lit	<5.0	IS: 3025 Part-02 (2004)
B.O.D. (5 days 20°C)	BDL	mg/lit	<30.0	IS 3025 (Part 44), 2019
C.O.D.	8.21	mg/lit	<150.0	IS 3025 (Part 58), 2019
Remarks(s):				
<ul style="list-style-type: none"> <li>&gt; BDL - Below Detectable Limit.</li> <li>&gt; MPCB Irrigation Standards: Maharashtra Pollution Control Board Water Quality Standards For Best Designated Usages (Fit for Agriculture, Industrial cooling &amp; process water)</li> <li>&gt; The above Ground Water can be used for irrigation purpose.</li> </ul>				
				
			 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	
***END OF REPORT***				
<p><b>Terms and conditions</b></p> <ol style="list-style-type: none"> <li>The report is refer only to the sample tested and not applies to the bulk.</li> <li>The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.</li> <li>The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.</li> <li>Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.</li> <li>We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.</li> <li>MoEF approved Lab by Govt. of India. From date: 16/03/2022 to 28/02/2024.</li> </ol>				
				Page 1 of 1



A-7/2C-11, Capital City, Talwade - Chakan Road, Chakan MIDC, PH-IV,  
Village Nighejo, Tal: Khed, Dist. Pune-410 901, Maharashtra.  
Mob: 9845084820, 8421365421 CIN No. U74900PN2013PTC149966  
E-mail: -envirosafeyeng@gmail.com, gesac123@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No - GESEC/PRO/W/2022-23/11/872	Date of Reporting		28/11/2022	
Sample ID - GESEC/PRO/W/2022-23/11/872	Sample Details		Well Water (Wategaonkar)	
M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.	Type of Sample		Ground Water	
	Volume Of Sample		2 Lit	
	Sample Status		Sealed	
	Sample Collected By		GESEC	
	Date of Sample Collection		21/11/2022	
	Date of Sample received in lab		22/11/2022	
	Analysis start Date		23/11/2022	
	Analysis End Date		28/11/2022	
Open Well Sample 2				
Parameter	Result	Unit(s)	MPCB Irrigation Standards	Standard Method
pH	7.38	--	6.5 -9.0	APHA 4500, 23 <sup>rd</sup> Edition:2017
Total Ammonical Nitrogen	1.55	mg/lit	<50.0	APHA 4500 NH3-NO,23 <sup>rd</sup> Edition:2017
Chlorides (Cl)	78.94	mg/lit	<600.0	APHA 4500 Cl- B,23rd Edition, 2017
Sulphates (SO <sub>4</sub> )	36.01	mg/lit	<1000.0	IS:3025 Part-24:2019
Zinc (Zn)	0.08	mg/lit	<5.0	IS: 3025 Part-02 (2004)
B.O.D. (5 days 20°C)	BDL	mg/lit	<30.0	IS 3025 (Part 44) , 2019
C.O.D.	7.95	mg/lit	<150.0	IS 3025 (Part 58) , 2019
Remark(s):				
<ul style="list-style-type: none"> <li>&gt; BDL - Below Detectable Limit.</li> <li>&gt; MPCB Irrigation Standards: Maharashtra Pollution Control Board Water Quality Standards For Best Designated Usages (Fit for Agriculture, Industrial cooling &amp; process water)</li> <li>&gt; The above Ground Water can be used for irrigation purpose.</li> </ul>				
				
			 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date: 16/02/2022 to 28/02/2024.



A-7/2/C-11, Capital City, Talavade - Chakan Road, Chakan MIDC, PH-IV,  
Village Nighoje, Tal. Khed, Dist. Pune-410 501, Maharashtra.  
Mob + 95-4508-9620, 8421365421 DIN No - U74900/PN/2013PTC140666  
E-mail - enviroins@nyang@gmail.com, gseec126@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No - GESEC/PRO/W/2022-23/11/873		Date of Reporting		28/11/2022
Sample ID - GESEC/PRO/W/2022-23/11/873		Sample Details		Well Water (More )
M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.		Type of Sample		Ground Water
		Volume Of Sample		2 Lit
		Sample Status		Sealed
		Sample Collected By		GESEC
		Date of Sample Collection		21/11/2022
		Date of Sample received in lab		22/11/2022
		Analysis start Date		23/11/2022
		Analysis End Date		28/11/2022
Open Well Sample 2				
Parameter	Result	Unit(s)	MPCB Irrigation Standards	Standard Method
pH	7.14	--	6.5 -9.0	APHA 4500, 23 <sup>rd</sup> Edition:2017
Total Ammonical Nitrogen	0.56	mg/lit	<50.0	APHA 4500 NH3-NO, 23 <sup>rd</sup> Edition:2017
Chlorides (Cl)	41.87	mg/lit	<600.0	APHA 4500 Cl- B, 23 <sup>rd</sup> Edition, 2017
Sulphates (SO <sub>4</sub> )	15.94	mg/lit	<1000.0	IS:3025 Part-24:2019
Zinc (Zn)	0.02	mg/lit	<5.0	IS: 3025 Part-02 (2004)
B.O.D. (5 days 20°C)	BDL	mg/lit	<30.0	IS 3025 (Part 44) , 2019
C.O.D.	5.84	mg/lit	<150.0	IS 3025 (Part 58) , 2019
Remark(s):				
<ul style="list-style-type: none"> <li>➤ BDL – Below Detectable Limit.</li> <li>➤ MPCB Irrigation Standards: Maharashtra Pollution Control Board Water Quality Standards For Best Designated Usages (Fit for Agriculture, Industrial cooling &amp; process water)</li> <li>➤ The above Ground Water can be used for irrigation purpose.</li> </ul>				
			 Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By	

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Larger retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date, 26/02/2022 to 29/02/2024.



A-7/2/C-11, Capital City, Tarwade - Chakan Road, Chakan MIDC, PH-V,  
Village Nighoje, Tal. Khed, Dist. Pune-410 501, Maharashtra  
Mob + 9545084620, 8421385421 CIN No. : U74800PN2013PTC148606  
E-mail - emmsmsdtyng@gmail.com, gmsc13@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No - GESEC/PRO/W/2022-23/11/874		Date of Reporting		28/11/2022
Sample ID - GESEC/PRO/W/2022-23/11/874		Sample Details		Well Water (Dange)
M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Waiwa, Dist.: Sangli, State: Maharashtra.		Type of Sample		Ground Water
		Volume Of Sample		2 Lit
		Sample Status		Sealed
		Sample Collected By		GESEC
		Date of Sample Collection		21/11/2022
		Date of Sample received in lab		22/11/2022
		Analysis start Date		23/11/2022
		Analysis End Date		28/11/2022
Open Well Sample 2				
Parameter	Result	Unit(s)	MPCB Irrigation Standards	Standard Method
pH	7.11	--	6.5 -9.0	APHA 4500, 23 <sup>rd</sup> Edition:2017
Total Ammonical Nitrogen	1.63	mg/lit	<50.0	APHA 4500 NH3-NO, 23 <sup>rd</sup> Edition:2017
Chlorides (Cl)	48.30	mg/lit	<600.0	APHA 4500 Cl- B, 23 <sup>rd</sup> Edition, 2017
Sulphates (SO <sub>4</sub> )	19.52	mg/lit	<1000.0	IS:3025 Part-24:2019
Zinc (Zn)	0.06	mg/lit	<5.0	IS: 3025 Part-02 (2004)
B.O.D. (5 days 20°C)	BDL	mg/lit	<30.0	IS 3025 (Part 44), 2019
C.O.D.	7.41	mg/lit	<150.0	IS 3025 (Part 58), 2019
Remark(s):				
<ul style="list-style-type: none"> <li>&gt; BDL – Below Detectable Limit.</li> <li>&gt; MPCB Irrigation Standards: Maharashtra Pollution Control Board Water Quality Standards For Best Designated Usages (Fit for Agriculture, Industrial cooling &amp; process water)</li> <li>&gt; The above Ground Water can be used for irrigation purpose.</li> </ul>				
				
			 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	

\*\*\*END OF REPORT\*\*\*

#### Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved lab by Govt. of India. From date: 16/02/2022 to 28/02/2024.

## Annexure II A


## Water balance

WATER INPUT	Water requirement in m <sup>3</sup> /day		
	CH-Molasses	BH-Molasses	Sugarcane Syrup
Process Water(Fermentation and CO <sub>2</sub> scrubber)	1020	1250	550
Boiler feed water	768	768	768
Soft Water For Vacuum Pump & Others	100	100	100
Soft Water Makeup For Cooling Towers	600	850	800
Other Domestic Usage	10	10	10
<b>Total Water Input at start-up</b>	<b>2498</b>	<b>2978</b>	<b>2228</b>
<b>WATER OUTPUT</b>			
Spent Lees (PR & Rect.)	150	225	225
CT Evaporation & Drift Losses	600	850	800
Domestic Consumption loss	10	10	10
Soft Water For Vacuum Pump & Others	100	100	100
Boiler waste water as blow down & steam loss	40	40	40
Exhaust condensate	728	728	728
Process condensate	800	1000	225
Water loss in RS	5	7.50	7.50
<b>Over all process loss</b>	<b>65</b>	<b>17.5</b>	<b>92.5</b>
<b>Total Water Output</b>	<b>2498</b>	<b>2978</b>	<b>2228</b>
<b>RECYCLE STREAMS</b>			
Lees Recycle For RS Dilution (after CPU)	150	225	225
Raw spentwash for syrup dilution	151	300	235
Process Condensate (after CPU)	800	1000	225
Steam condensate recycled to boiler	728	728	728
Soft water for Vacuum Pump, others, cooling water	100	100	100
<b>Water available from rainwater harvesting pond</b>	<b>270</b>	<b>270</b>	<b>270</b>
<b>Total Recycling /Re-utilization of water</b>	<b>2199</b>	<b>2522</b>	<b>1783</b>
<b>Total Daily Water requirement/Input</b>	<b>299</b>	<b>355</b>	<b>445</b>
<b>Fresh water requirement per lit of Alcohol incl. domestic water</b>	<b>2.9 lit</b>	<b>2.4 lit</b>	<b>2.97 lit</b>

## Annexure II B

## Water drawl permission

**महाराष्ट्र औद्योगिक विकास महामंडळ**  
(महाराष्ट्र शासन अखिल)  
शाखाधिकारी म.अ.वि.महामंडळ शाखा कार्यालय इस्लामपूर यांचे कार्यालय,  
आर.वा.पा.टी. कॉलेज इमारती, आ. वा.पा. वि. सांगली - पिन कोड - ४२५ ४०२  
दुरध्वनी क्र. (०२३४२)२१०६२५ Website : www.midcindia.org / Email : aas@mapur@midcindia.org

  
महाराष्ट्र शासन अखिल

जा.क्र./शाखा/ इ / E 26479/2022  
शाखाधिकारी यांचे कार्यालय,  
मअीविम, शाखा कार्यालय,  
इस्लामपूर,  
दिनांक :- 23/12/2022

प्रति,  
कार्यकारी संचालक,  
राजारामबापू पाटील सह साखर कारखाना,  
राजारामनगर, साखराळे

(Work)


विषय :- सन-२०२२-२०२३ साठी (०१/०९/२०२२ ते ३०/०६/२०२३)  
पाणी कोटा मंजूरीबाबत.

संदर्भ - १. कार्यकारी संचालक रा.वा.पा. सह साखर कारखाना यांचे पाणी वापराबाबतचे पत्र क्र. ७८३ दि. १७/०६/२०२२  
२. कार्यकारी संचालक रा.वा.पा. सह साखर कारखाना यांचे पत्र क्र. २६३६ दि. २२/१२/२०२२

3 DEC 2022  
4.18.6  
महोदय,

उपरोक्त संदर्भिय पत्र क्र. १ नुसार आपण सन ०१/०९/२०२२ ते ३०/०६/२०२३ या कालावधीकरीता ५४२४०० घ.मी. इतक्या पाण्याची अंदाजे मागणी केली आहे. त्याप्रमाणे आपल्या मागणी नुसार महामंडळाकडून आपणास पाणी पुरवठा करणेत येत आहे.

संदर्भिय पत्र क्र. २ अन्वये आपणा मार्फत वरिलप्रमाणे वार्षिक पाणी वापर मंजूर असलेबाबतच्या दाखल्याची या कार्यालयाकडे मागणी केलेली आहे तरी, आपल्या मागणीनुसार सन ०१/०९/२०२२ ते ३०/०६/२०२३ या कालावधीकरीता ५४२४०० घ.मी. इतक्या मंजूर असलेबाबतचा दाखला या कार्यालयामार्फत आपणास देणेत येत आहे.


  
शाखाधिकारी,  
मअीविम, शाखा इस्लामपूर

प्रत:- उपअधीक्षकता क्र. (१) मअीविम, उप विभाग सांगली यांना माहितीसाठी सादर.

FORM 100/2000/2001-02-03-04-05-06-07-08-09-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100

## Annexure III

Details of rainwater harvesting





## Annexure V

## A. Expenses for Occupational Health Safety

<b>RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD., RAJARAMNAGAR.</b>				
Post :- Sakharale, Pin-415414, Tal. :- Walva, District :- Sangli (Maharashtra State) India				
Gram :- "Rajaram" Unan Islampur. Phone- (02342) 220861 to 220867 Fax- 220869 Email : contact@rajarambapusugar.com				
<b>ACCOUNT LEDGER</b>				
Account No. : 120826		01/04/2021 to 31/03/2022		
Account Name : E- Medical Expenses				
From Division: Unit I Rajaramnagar, Under the Group: 116461 - E- Labour Welfare & Other Relevant Expenses				
Opening Balance :				Nil
Date	Voucher No.	Particulars	Debit	Credit
08-04-2021	SV-101-2021-04-1012	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE Bk, Supplier Bill No: 2,3,4, Dated: 08/04/2021 4:04:06 PM, System Ref ID: SB-101-2021-04-1117. मा. पॅंरामनसहैसो वाचन अीसत उपचार विलास जसखणे केस.	526.00	0.00
14-04-2021	SV-101-2021-04-1024	Service Bill Voucher for Supplier: L- GANPAT RAMU LAKHAN NAVEKHED, Supplier Bill No. : Dated: 14/04/2021 10:05 PM, System Ref ID: SB-101-2021-04-1134. COVID 19 TESTING FEE BILL.	1200.00	0.00
29-04-2021	SV-101-2021-04-1109	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE Bk, Supplier Bill No: 1, Dated: 29/04/2021 10:45 PM, System Ref ID: SB-101-2021-04-1242. मा. पॅंरामनसहैसो वाचन अीसत उपचार विलास जसखणे केस.	1366.00	0.00
11-05-2021	SV-101-2021-05-1073	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE Bk, Supplier Bill No: 1, Dated: 11/05/2021 4:28:08 PM, System Ref ID: SB-101-2021-05-1042. मा. पॅंरामनसहैसो वाचन अीसत उपचार विलास जसखणे केस.	2807.00	0.00
13-05-2021	SV-101-2021-05-1079	Service Bill Voucher for Supplier: L- BVG Life Sciences Limited, Pune PUNE, Supplier Bill No: 2721220937, Dated: 13-05-2021 14:10:18, System Ref ID: SB-101-2021-05-1052. RBPSSK /GM (c&p) PUR /2020-21/Sept- 1 dt. 01-09-2020	312500.00	0.00
24-05-2021	SV-101-2021-05-1291	Service Bill Voucher for Supplier: L- GANPAT RAMU LAKHAN NAVEKHED, Supplier Bill No: 1, Dated: 24-05-2021 12:28:09, System Ref ID: SB-101-2021-05-1107. मा. पॅंरामनसहैसो वाचन अीसत उपचार विलास जसखणे केस. 40 माहनीसहैसो वाचन अीसत-19 ची जरूरी टी पी सी जरूरी तपासणी केसेसचा विलास जसखणे केस सोबत मजुरी	1200.00	0.00
27-05-2021	SV-101-2021-05-1218	Service Bill Voucher for Supplier: L- SANDIP BABANRAO PATIL, Supplier Bill No: 1, Dated: 27-05-2021 14:19:00, System Ref ID: SB-101-2021-05-1119. अीसत उपचार विलास जसखणे केस.	87391.00	0.00
27-05-2021	SV-101-2021-05-1217	Service Bill Voucher for Supplier: L- SANJAY RAMCHANDRA LAD, Supplier Bill No: 1, Dated: 27-05-2021 14:20:20, System Ref ID: SB-101-2021-05-1120. अीसत उपचार विलास जसखणे केस.	17398.00	0.00
28-05-2021	SV-101-2021-05-1231	Service Bill Voucher for Supplier: L- MANOJ APPASO KALLYNI, Supplier Bill No: 1, Dated: 28-05-2021 14:45:44, System Ref ID: SB-101-2021-05-1127. अीसत उपचार विलास जसखणे केस. बिले र.90097.अंशदान र.50000 एमई अंश 40097	90097.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
29-05-2021	SV-101-2021-05-1250	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 29-05-2021 15:58:31, System Ref ID: SB-101-2021-05-1130. मा. पैअरमनसाहेबसो शांच्या औषध उपचार विलाया जमाखर्च केला	2158.00	0.00
04-06-2021	SV-101-2021-06-1013	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 04/06/2021 11:33:51AM, System Ref ID: SB-101-2021-06-1015. मा. पैअरमनसाहेबसो शांच्या औषध उपचार विलाया जमाखर्च केला	1924.00	0.00
11-06-2021	SV-101-2021-06-1122	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 11-06-2021 11:21:39, System Ref ID: SB-101-2021-06-1069. मा. पैअरमनसाहेबसो शांच्या औषध उपचार विलाया जमाखर्च केला	2737.00	0.00
17-06-2021	SV-101-2021-06-1219	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 17/06/2021 12:55:52 PM, System Ref ID: SB-101-2021-06-1129. मा. पैअरमनसाहेबसो शांच्या औषध उपचार विलाया जमाखर्च केला	2890.00	0.00
25-06-2021	SV-101-2021-06-1299	Service Bill Voucher for Supplier: L- BAPUSO BALASO SURYAVANSHI, Supplier Bill No: 1, Dated: 25/06/2021 10:33:00 AM, System Ref ID: SB-101-2021-06-1170. कोर्टीड 19 चे एकूण विल 319996 त्याचे 50 टक्के रु. 100000 चा जमाखर्च	100000.00	0.00
25-06-2021	SV-101-2021-06-1298	Service Bill Voucher for Supplier: L- NIVAS DNYANDEV PAWAR, Supplier Bill No: 1, Dated: 25/06/2021 10:34:23 AM, System Ref ID: SB-101-2021-06-1171. कोर्टीड 19 चे एकूण विल 92515 त्याचे 50 टक्के रु. 46500 चा जमाखर्च	46500.00	0.00
25-06-2021	SV-101-2021-06-1297	Service Bill Voucher for Supplier: L- SUJIT ABASAHEB DESHMUKH KOKARUD, Supplier Bill No: 1, Dated: 25/06/2021 10:37:24 AM, System Ref ID: SB-101-2021-06-1172. कोर्टीड 19 चे एकूण विल 120926 त्याचे 50 टक्के रु. 60500 चा जमाखर्च	60500.00	0.00
25-06-2021	SV-101-2021-06-1296	Service Bill Voucher for Supplier: L- PANDURANG ANANDA SAWANT BHAVANINAGAR, Supplier Bill No: 1, Dated: 25/06/2021 10:38:48 AM, System Ref ID: SB-101-2021-06-1173. कोर्टीड 19 चे एकूण विल 88799 त्याचे 50 टक्के रु. 44500 चा जमाखर्च	44500.00	0.00
25-06-2021	SV-101-2021-06-1295	Service Bill Voucher for Supplier: L- DILIP SHANKAR KHOT, Supplier Bill No: 1, Dated: 25/06/2021 10:40:37 AM, System Ref ID: SB-101-2021-06-1174. कोर्टीड 19 चे एकूण विल 86504 त्याचे 50 टक्के रु. 43000 चा जमाखर्च	43000.00	0.00
25-06-2021	SV-101-2021-06-1294	Service Bill Voucher for Supplier: L- SATISH HANMANT NIKAM सावते, Supplier Bill No: 1, Dated: 25/06/2021 10:41:49 AM, System Ref ID: SB-101-2021-06-1175. कोर्टीड 19 चे एकूण विल 39266 त्याचे 50 टक्के रु. 19500 चा जमाखर्च	19500.00	0.00
25-06-2021	SV-101-2021-06-1293	Service Bill Voucher for Supplier: L- POPAT MAHADEO PATIL, Supplier Bill No: 1, Dated: 25/06/2021 10:43:11AM, System Ref ID: SB-101-2021-06-1176. कोर्टीड 19 चे एकूण विल 19016 त्याचे 50 टक्के रु. 9500 चा जमाखर्च	9500.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
25-06-2021	SV-101-2021-06-1292	Service Bill Voucher for Supplier: L- ANIL MARUTI SAWWASHE, Supplier Bill No: 1, Dated: 25/06/2021 10:44:22 AM. System Ref ID: SB-101-2021-06-1177. कोन्हीड 19 चें एकूण बिल 99198 त्याचें 50 टक्के रु.49500 चा जमाखर्च	49500.00	0.00
25-06-2021	SV-101-2021-06-1291	Service Bill Voucher for Supplier: L- SAMPAT DATTATRAYA BHOSALE, Supplier Bill No: 1, Dated: 25/06/2021 10:46:03 AM. System Ref ID: SB-101-2021-06-1178. कोन्हीड 19 चें एकूण बिल 12065 त्याचें 50 टक्के रु.6000 चा जमाखर्च	6000.00	0.00
25-06-2021	SV-101-2021-06-1290	Service Bill Voucher for Supplier: L- GURUPRASAD VASANT KHOT गजरावडी, Supplier Bill No: 1, Dated: 25/06/2021 10:47:09 AM. System Ref ID: SB-101-2021-06-1179. कोन्हीड 19 चें एकूण बिल 71178 त्याचें 50 टक्के रु.35500 चा जमाखर्च	35500.00	0.00
25-06-2021	SV-101-2021-06-1289	Service Bill Voucher for Supplier: L- SHAILESH SHIVAJI JADHAV DHOTREWADI, Supplier Bill No: 1, Dated: 25/06/2021 10:48:22 AM. System Ref ID: SB-101-2021-06-1180. कोन्हीड 19 चें एकूण बिल 230878 त्याचें 50 टक्के रु.100000 चा जमाखर्च	100000.00	0.00
25-06-2021	SV-101-2021-06-1288	Service Bill Voucher for Supplier: L- VIKAS BHIMARAO PATIL, Supplier Bill No: 1, Dated: 25/06/2021 10:49:26 AM. System Ref ID: SB-101-2021-06-1181 कोन्हीड 19 चें एकूण बिल 116164 त्याचें 50 टक्के रु.58000 चा जमाखर्च	58000.00	0.00
02-07-2021	SV-101-2021-07-1013	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 02/07/2021 12:03:06 PM. System Ref ID: SB-101-2021-07-1009. मा.चेअरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	4751.00	0.00
08-07-2021	SV-101-2021-07-1095	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 08/07/2021 12:48:01 PM. System Ref ID: SB-101-2021-07-1054. मा.चेअरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	7248.00	0.00
15-07-2021	SV-101-2021-07-1176	Service Bill Voucher for Supplier: L- VIKAS BHIKU DHARME RETHARE BK, Supplier Bill No: 1, Dated: 15-07-2021 12:55:54. System Ref ID: SB-101-2021-07-1097. औषध उपचार बिलाचा जमाखर्च	3000.00	0.00
19-07-2021	SV-101-2021-07-1220	Service Bill Voucher for Supplier: L- SHASHIKANT KHNDERAO PATIL, Supplier Bill No: 1, Dated: 19/07/2021 10:28:33 AM. System Ref ID: SB-101-2021-07-1130. औषध उपचार बिलाचा जमाखर्च	14800.00	0.00
01-08-2021	SV-101-2021-08-1007	Service Bill Voucher for Supplier: L- SANJAY SHIVAJI BALUGADE गिरी, Supplier Bill No: 1, Dated: 01/08/2021 10:42:36 AM. System Ref ID: SB-101-2021-08-1002. औषध उपचार बिलाचा जमाखर्च	2891.00	0.00
04-08-2021	SV-101-2021-08-1030	Service Bill Voucher for Supplier: L- KRISHNAI HOSPITAL (DR PRAVIN P.PATIL) ISLAMPUR, Supplier Bill No: 1, Dated: 04/08/2021 10:45:40 AM. System Ref ID: SB-101-2021-08-1022. वातशय्या कामगारांचे औषध उपचार बिलाचा जमाखर्च	15076.00	0.00
23-08-2021	PV-101-2021-08-1520	Payment as per Payment ID: PM-101-2021-08-1263 Bank Transfer Payment with multiple Payment Advices (Instrument No:CC ADVICE)	27726.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
24-08-2021	SV-101-2021-08-1337	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1,2, Dated: 24/08/2021 10:42:13 AM, System Ref ID: SB-101-2021-08-1189. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला. 12813 + 8321 = 21134	21134.00	0.00
26-08-2021	SV-101-2021-08-1361	Service Bill Voucher for Supplier: L- JAYSING RASING GAVADE, Supplier Bill No: 1, Dated: 26/08/2021 11:32:57 AM, System Ref ID: SB-101-2021-08-1201 औषध उपचार बिलाचा जमाखर्च	71337.00	0.00
03-09-2021	SV-101-2021-09-1092	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 03/09/2021 3:45:57 PM, System Ref ID: SB-101-2021-09-1055. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	1921.00	0.00
07-09-2021	JV-101-2021-09-1016	कारखाना वॉल्ट व कारखानाची युने 3 कमील बॅटरी-19 ने आजारी अस्थिराणे कामेचारी यांचे हॉस्पिटल व मेडिकल बिलाच्या एकूण रकमेच्या 50% रकमेचा जमाखर्च खालीलप्रमाणे केला (सोबत मजुरी)	46700.00	0.00
11-09-2021	SV-101-2021-09-1140	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 11/09/2021 11:50:33 AM, System Ref ID: SB-101-2021-09-1079. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	7241.00	0.00
14-09-2021	SV-101-2021-09-1197	Service Bill Voucher for Supplier: L- VIJAY JAISINGRAO PATIL, Supplier Bill No: 1, Dated: 14/09/2021 3:39:57 PM, System Ref ID: SB-101-2021-09-1113. DIGITAL SIGNA FEE AND RTPCR TEST	500.00	0.00
15-09-2021	SV-101-2021-09-1198	Service Bill Voucher for Supplier: L- VIJAY JAISINGRAO PATIL, Supplier Bill No: 1, Dated: 15/09/2021 2:16:54 PM, System Ref ID: SB-101-2021-09-1114. दि. 13.6.2021 ते 14.6.2021 व दि. 30.7.2021 ते 2.8.2021 नदी कारखाना कामासाठी दिलेली येथे गेले. आजारा प्रवास घेण्यासाठी, जेवण राहणे बिलाचे रकमेचा जमाखर्च खालील प्रमाणे केला सोबत मजुरी, सोबतच मजुरी	500.00	0.00
20-09-2021	SV-101-2021-09-1265	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 20/09/2021 10:20:46 AM, System Ref ID: SB-101-2021-09-1136. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	1467.00	0.00
30-09-2021	SV-101-2021-09-1398	Service Bill Voucher for Supplier: L- PATANGRAO PANDURANG WANGIKAR KURLAP, Supplier Bill No: 1, Dated: 30/09/2021 11:18:34 AM, System Ref ID: SB-101-2021-09-1222. पॅलेसीसपे औषध उपचार बिलाचा जमाखर्च	28354.00	0.00
02-10-2021	SV-101-2021-10-1014	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 02/10/2021 12:08:41 PM, System Ref ID: SB-101-2021-10-1016. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	1649.00	0.00
09-10-2021	SV-101-2021-10-1099	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 09/10/2021 10:51:03 AM, System Ref ID: SB-101-2021-10-1051. मा.पं.जरमनसाहेबसो यांच्या औषध उपचार बिलाचा जमाखर्च केला.	1185.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
14-10-2021	SV-101-2021-10-1181	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1, Dated: 14/10/2021 11:42:35 AM. System Ref ID: SB-101-2021-10-1089. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	2769.00	0.00
01-11-2021	SV-101-2021-11-1039	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1, Dated: 01/11/2021 11:50:30 AM. System Ref ID: SB-101-2021-11-1010. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	4152.00	0.00
13-11-2021	SV-101-2021-11-1224	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1, Dated: 13-11-2021 10:28:52. System Ref ID: SB-101-2021-11-1102. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	1561.00	0.00
03-12-2021	SV-101-2021-12-1029	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1, Dated: 03-12-2021 10:13:10. System Ref ID: SB-101-2021-12-1024. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	8149.00	0.00
14-12-2021	SV-101-2021-12-1269	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No. 1 to 7, Dated: 14-12-2021 14:54:40. System Ref ID: SB-101-2021-12-1141. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	3470.00	0.00
25-12-2021	SV-101-2021-12-1471	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1, Dated: 25/12/2021 11:14:10 AM. System Ref ID: SB-101-2021-12-1208. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	2492.00	0.00
30-12-2021	SV-101-2021-12-1491	Service Bill Voucher for Supplier: L- SANDIP CHANDRAKANT YADAV, Supplier Bill No. 1, Dated: 30-12-2021 11:07:13. System Ref ID: SB-101-2021-12-1223. संचालक मंडळ सभा दि. 24-10-2020 संधीस ठ नं. 9 फसले कोव्हीडचे एकूण बिल 53302 चे पन्नास टक्के 26500 या जमाखर्च केला.	26500.00	0.00
30-12-2021	SV-101-2021-12-1492	Service Bill Voucher for Supplier: L- VIJAY JAISINGRAO PATIL, Supplier Bill No: 1, Dated: 30-12-2021 11:08:08. System Ref ID: SB-101-2021-12-1224. संचालक मंडळ सभा दि. 24-10-2020 संधीस ठ नं. 9 फसले कोव्हीडचे एकूण बिल 88500 चे पन्नास टक्के 44500 या जमाखर्च केला.	44500.00	0.00
31-12-2021	SV-101-2021-12-1523	Service Bill Voucher for Supplier: L- SIDDHANT MEDICAL AGENCIES ISLAMPUR, Supplier Bill No: 1, Dated: 31-12-2021 12:39:35. System Ref ID: SB-101-2021-12-1241. कारखाना टाकाऊ-वासाठी खरेदी केलेल्या औषध विलायाचे रक्कमचा जमाखर्च केला.	68880.00	0.00
10-01-2022	SV-101-2022-01-1210	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No 1 TO 7, Dated: 10/01/2022 10:42:38 AM. System Ref ID: SB-101-2022-01-1079. मा. वैजयंतसाहेबजी यांच्या औषध उपचार विलाया जमाखर्च केला.	4543.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
21-01-2022	SV-101-2022-01-1447	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1 to 11, Dated: 21/01/2022 14:18:13, System Ref ID: SB-101-2022-01-1215. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	1962.00	0.00
01-02-2022	SV-101-2022-02-1035	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1 to 9, Dated: 01/02/2022 2:13:50 PM, System Ref ID: SB-101-2022-02-1007. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	9301.00	0.00
11-02-2022	SV-101-2022-02-1194	Service Bill Voucher for Supplier: L- FRAKASH SHRIDHAR MAHALUNGKAR, Supplier Bill No: 1, Dated: 11/02/2022 11:46:12 AM, System Ref ID: SB-101-2022-02-1086. कर्कराज दवाखान्यासाठी खरेदी केलेल्या औषध विलायाचा रकममेवा जमाखर्च	13051.00	0.00
12-02-2022	SV-101-2022-02-1199	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1 to 8, Dated: 12/02/2022 10:17:12 AM, System Ref ID: SB-101-2022-02-1091. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	7356.00	0.00
16-02-2022	SV-101-2022-02-1347	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 16/02/2022 10:26:52 AM, System Ref ID: SB-101-2022-02-1102. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	1086.00	0.00
28-02-2022	SV-101-2022-02-1498	Service Bill Voucher for Supplier: Ramchandra Parsappa Awale Walwa, Supplier Bill No: 1, Dated: 28/02/2022 12:51:54 PM, System Ref ID: SB-101-2022-02-1226. औषध उपचार विलाया जमाखर्च	71424.00	0.00
09-03-2022	SV-101-2022-03-1194	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 09/03/2022 2:08:00 PM, System Ref ID: SB-101-2022-03-1076. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	4882.00	0.00
25-03-2022	SV-101-2022-03-1521	Service Bill Voucher for Supplier: L- PRADIP SARJERAO PATIL BAHE, Supplier Bill No: 1, Dated: 25-03-2022 10:48:29 AM, System Ref ID: SB-101-2022-03-1268. औषध विलाया जमाखर्च	4751.00	0.00
26-03-2022	SV-101-2022-03-1527	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 26-03-2022 10:31:01 AM, System Ref ID: SB-101-2022-03-1273. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	3417.00	0.00
28-03-2022	SV-101-2022-03-1586	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1, Dated: 28-03-2022 12:58:55 PM, System Ref ID: SB-101-2022-03-1297. मा. वैज्रमनसाहेबसो यांच्या औषध उपचार विलाया जमाखर्च केला	10782.00	0.00
29-03-2022	SV-101-2022-03-1639	Service Bill Voucher for Supplier: L- SIDDHANT MEDICAL AGENCIES ISLAMPUR, Supplier Bill No: 1, Dated: 29-Mar-22 2:05:53 PM, System Ref ID: SB-101-2022-03-1301. कर्कराज दवाखान्यासाठी खरेदी केलेल्या औषध विलाया जमाखर्च	15405.00	0.00

Date	Voucher No.	Particulars	Debit	Credit
29-03-2022	SV-101-2022-03-1640	Service Bill Voucher for Supplier: L- RÖTE MEDICALS ISLAMPUR, Supplier Bill No: 1, Dated: 29-Mar-22 2:07:27 PM, System Ref ID: SB-1012022-03-1302. कारखाना टवाळान्यासाठी खरेदी केलेल्या औषध विलाचा जमाखर्च	143093.00	0.00
31-03-2022	SV-101-2022-03-2119	Service Bill Voucher for Supplier: L- PAREKH MEDICAL STORES, SANGLI, Supplier Bill No: 1, Dated: 31-03-2022 10:29:57, System Ref ID: SB-1012022-05-1091. कारखाना टवाळान्यासाठी खरेदी केलेल्या औषध विला रकबमेव जमाखर्च	130819.00	0.00
31-03-2022	SV-101-2022-03-2159	Service Bill Voucher for Supplier: L- BABURAO NIVRUTTI PATIL SAKHARALE, Supplier Bill No: 1, Dated: 31-03-2022 12:22:34, System Ref ID: SB-1012022-07-1003. श्री बाबुराव पाटील यांचे कट्टील मजूर श्री अनोल सज्जीव इन्फर ड्रिज फिलीयासमध्ये काम करित आसताना गरम पाण्याची पाईप फुटून झडले होते त्यांना डॉ. रवि यादव यांचे हॉस्पिटल मध्ये अॅडमिट केले आसता त्यावर खर्च झालेल्या विलाची रक्कम आढा (सेबल-जनरल मि. टाच नं.790)	32817.00	0.00
31-03-2022	SV-101-2022-03-2106	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1_2, Dated: 31-03-2022 02:10:39, System Ref ID: SB-1012022-05-1013. मा पैजरमनसाहेबसाे यांच्या औषध उपचार विलाचा जमाखर्च केला DATE 8. 3.2022 , 113.2022	3443.00	0.00
31-03-2022	SV-101-2022-03-1759	Service Bill Voucher for Supplier: L- RANJIT KAKASO GAIKWAD AITWADE BK, Supplier Bill No: 1 to 6, Dated: 31-03-2022 02:20:37, System Ref ID: SB-1012022-03-1322. मा पैजरमनसाहेबसाे यांच्या औषध उपचार विलाचा जमाखर्च केला	3861.00	0.00
<b>Current Total :</b>			<b>1978640.00</b>	<b>0.00</b>
<b>Closing Balance :</b>			<b>1978640.00</b>	

Existing greenbelt occupies 20.05 Ha.

**Species composition of existing greenbelt of RBPSSKL 2021-22**

Sr	Species	Old trees	Planted in 2021-22	Sr	Species	Old trees	In 2021-22	Sr	Species	Number	In 2021-22
1	Mango	650	130	18	Amarsia	15	--	35	Raywal mango	25	--
2	Coconut	635	70	19	Rudraksh	14	--	36	Custard apple	50	--
3	Chickoo	285	85	20	Aakashmogra	82	--	37	Acacia	106	--
4	Jackfruit	82	--	21	Khaya	81	15	38	Jacaranda	104	--
5	Tamarind	155	38	22	Sagwan	195	--	39	Silver Oak	110	--
6	Rain tree	160	--	23	Eucalyptus	205	--	40	Neel mohar	95	--
7	Banyan	60	24	24	Bakul	115	25	41	Ashok	580	--
8	Peepal	55	26	25	Sankeshwar	85	--	42	Jamun	135	--
9	Tamhan	32	--	26	Ficus	195	24	43	Christena	110	60
10	Spathodia	55	--	27	Mahogany	103	95	44	Rubber tree	10	--
11	Sisav	48	--	28	Kadamba	78	12	45	Bel	25	--
12	Gulmohar	150	--	29	Umbar	33	--	46	Palas	105	--
13	Bahava	75	--	30	Areca Palm	1150	550	47	Shivan	100	--
14	Pimparan	33	--	31	Bitti	1010	--	48	Ayan	75	--
15	Karanj	135	--	32	Pluemria/ chafa	155	25	49	Amla	210	--
16	Giripushp	80	--	33	Nirgudi	115	--		Total	8431	1199
17	Neem	225	--	34	Bottle palm	105	20				



## Annexure X

## Details of fund used for CER

<b>RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD.,</b>					
<b>RAJARAMNAGAR.</b>					
Post - Sakharale, Pin-415414, Tal. - Walea, District - Sangli. (Maharashtra State) India					
Gram - 'Rajaram' Unn Islampur. Phone- (02342) 220661 to 220667 Fax- 220669 Email - contact@rajarambagusugar.com					
ACCOUNT LEDGER					
Account No : 433141			01/04/2021 to 31/03/2022		
Account Name : E- Education Fee					
From Division: Unit I Rajaramnagar, Under the Group: 433140 - E- Corporate Social Responsibility					
Opening Balance :				Nil	
Date	Voucher No.	Particulars	Debit	Credit	
27-09-2021	1 SV-101-2021-09-1375	Service Bill Voucher for Supplier: L- RAJARAMBAPU INSTITUTE OF TECHNOLOGY RAJARAMNAGAR, Supplier Bill No: 1, Dated: 27-09-2021 2:53:38 PM, System Ref ID: SB-101-2021-09-1205. 00000000 00000000 00000000 000000 0000000000 00000000 00000000 00 2019-20 00 0000 00000000 0000000000 00000000 00 000000 00000000 00000000	985200.00	0.00	
15-10-2021	1 PV-101-2021-10-1324	Payment as per Payment ID: PM-101-2021-10-1163 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC advice)	30000.00	0.00	
28-10-2021	1 PV-101-2021-10-1599	Payment as per Payment ID: PM-101-2021-10-1309 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC ADVICE)	16000.00	0.00	
30-10-2021	1 PV-101-2021-10-1625	Payment as per Payment ID: PM-101-2021-10-1327 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC ADVICE)	16000.00	0.00	
16-11-2021	1 PV-101-2021-11-1385	Payment as per Payment ID: PM-101-2021-11-1150 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC ADVICE)	15600.00	0.00	
04-01-2022	1 PV-101-2022-01-1075	Payment as per Payment ID: PM-101-2022-01-1045 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC ADVICE)	17800.00	0.00	
06-01-2022	1 PV-101-2022-01-1108	Payment as per Payment ID: PM-101-2022-01-1065 Bank Transfer Payment with multiple Payment Advices (Instrument No.CC ADVICE)	16000.00	0.00	
13-01-2022	1 PV-101-2022-01-1343	Payment as per Payment ID: PM-101-2022-01-1153 Bank Transfer Payment with multiple Payment Advices (Instrument No.ADVICE)	3600.00	0.00	
<b>Current Total :</b>			<b>1082200.00</b>	<b>0.00</b>	
<b>Closing Balance :</b>			<b>1082200.00</b>		

**RAJARAMBAPU PATIL SAHAKARI SAKHAR KARKHANA LTD.,  
RAJARAMNAGAR.**

Post :- Sakharale, Pin-415414, Tal. - Walwa, District - Sangli (Maharashtra State) India

Gram : "Rajaram" Urun Islampur. Phone- (02342) 220861 to 220867 Fax- 220869 Email : contacts@rajarambapusugar.com

**ACCOUNT LEDGER**

Account No. : 314758

01/04/2021 to 31/03/2022

Account Name : E- Medical Expenses

From Division: Unit V Karandwadi, Under the Group: 294986 - E- Labour Welfare & Other Relevent Expenses

Opening Balance :				Nil	
Date	Voucher No.	Particulars	Debit	Credit	
25-06-2021	SV-105-2021-06-1017	Service Bill Voucher for Supplier: Altaf Mahamad Kurne Karnal, Supplier Bill No: 1, Dated: 25/06/2021 10:25:44 AM. System Ref ID: SB-105-2021-06-1019. औषध उपचार विलास जमाखर्च	3689.00	0.00	
25-06-2021	SV-105-2021-06-1019	Service Bill Voucher for Supplier: Anil Narasgonda Patil Samdoli, Supplier Bill No: 1, Dated: 25/06/2021 10:27:25 AM. System Ref ID: SB-105-2021-06-1020. कोव्हीड 19 चे एकूण विल 6602 न्याचे 50 टक्के रु.5000 चा जमाखर्च	5000.00	0.00	
25-06-2021	SV-105-2021-06-1018	Service Bill Voucher for Supplier: L. JALINCHAR DATTAL, DESHMUKH PUNADI, Supplier Bill No: 1, Dated: 25/06/2021 10:29:54 AM. System Ref ID: SB-105-2021-06-1021. कोव्हीड 19 चे एकूण विल 82718 न्याचे 50 टक्के रु.41500 चा जमाखर्च	41500.00	0.00	
07-09-2021	JV-105-2021-09-1002	कारंदवाडी यु.नं.3 कडील कोव्हीड-19 चे आजारी असणारे कर्मचारी यांचे हॉस्पिटल व मेडिकल विलास एवढा रक्कमेच्या 50% रक्कमेचा जमाखर्च खालीलप्रमाणे केला	297500.00	0.00	
21-09-2021	SV-105-2021-09-1020	Service Bill Voucher for Supplier: Sanjay Bhimaroo Patil Bhadole, Supplier Bill No: 1, Dated: 21/09/2021 11:58:35. System Ref ID: SB-105-2021-09-1023. औषध उपचार विलास जमाखर्च	2601.00	0.00	
22-11-2021	SV-105-2021-11-1042	Service Bill Voucher for Supplier: L. KRISHNAMAI HOSPITAL, ASHTA, Supplier Bill No: 1, Dated: 22/11/2021 11:16:04 AM. System Ref ID: SB-105-2021-11-1042. व्हॉलंटिअर 3 कडील कामगारचे औषध उपचार विलास जमाखर्च	11850.00	0.00	
21-02-2022	SV-105-2022-02-1037	Service Bill Voucher for Supplier: Subhash Damu Chandane Koregaon, Supplier Bill No: 1, Dated: 21/02/2022 10:58:45 AM. System Ref ID: SB-105-2022-02-1037. औषध उपचार विलास जमाखर्च	2500.00	0.00	
<b>Current Total :</b>			<b>364640.00</b>	<b>0.00</b>	
<b>Closing Balance :</b>			<b>364640.00</b>		


## Expenditure towards Promoting sports activities amongst local youth

सामाजिक जाणिव अंतर्गत केलेल्या कामाचा तपविल					
कुरुती आखाड व रनिंग ट्रॅक क्षेत्रीय कामाचा तपविल सन 2019 ते 2023					
क्र.सं.	कामाचे नाव	वर्ष 2019-20	वर्ष 2020-21	वर्ष 2021-22	वर्ष 2022-23
1	कुरुती आखाड बोर्डर व्प दुस्तो करणे	5,027.00	-	-	-
2	छिड्याचे मॅटलावरील टायलेट प्लॉक दुस्तो करणे	6,189.00	-	-	-
3	400 मिटर रनिंग ट्रॅक जमीन सपाटीकरण करणे(जे.सी.सी.)	7,434.00	-	-	-
4	इन्डोअर स्टेडिअम जाळ बंधन प्लॉक करणे	7,200.00	-	-	-
5	400 मिटर रनिंग ट्रॅक शेजारी प्रसाधनगृह बांधणे	4,28,510.00	5,32,025.00	-	3,91,006.00
6	400 मिटर रनिंग ट्रॅक शेजारी FCC गॅलरी बांधणे	5,83,430.00	4,31,196.00	-	-
7	400 मिटर रनिंग ट्रॅक शेजारी माती भरणे	-	6,195.00	-	-
8	इन्डोअर स्टेडिअम हॉलच्या छिड्याच्या बसविणे	-	-	10,820.00	-
9	कुरुती आखाड टायलेट प्लॉक करणे	-	-	2,800.00	-
10	400 मिटर रनिंग ट्रॅक शेजारी प्रसाधनगृह दुस्तो	-	-	-	2,370.00
11	कुरुती आखाड जमीन सपाटीकरण करणे	-	-	-	70,000.00
12	कुरुती आखाड मटेरिअल बाहेर काढणे	-	-	-	1,06,813.00
13	400 मिटर रनिंग ट्रॅक शेजारी प्रसाधनगृहला अक्सिडरिज बसविणे	-	-	-	13,78,818.00
	<b>एकूण</b>	<b>10,37,790.00</b>	<b>9,69,416.00</b>	<b>13,620.00</b>	<b>19,49,007.00</b>

चिफ अकॉंटंट

**Annexure XI**

Photographs & Layout showing parking area



## Annexure XVI

## Noise monitoring reports

TEST REPORT				
Test Report No: -	GESEC/PRO/ANLM/2022-23/11/862	Report Date	28/11/2022	
Sample ID: -	GESEC/PRO/ANLM/2022-23/11/862			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.			
Ambient Noise Sample Details				
Type	Ambient Noise			
Sampling done by	GESEC			
Standard method	As Per IS: 9989:2020			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
21/11/2022	22/11/2022	23/11/2022	28/11/2022	
Name Of Instrument	Digital Sound Level Meter	Date Of Calibration	17/10/2022	
Calibration Certificate No.	SSEC/ME/266	Due Date of Calibration	16/10/2023	
Test Location	Unit	Average Noise Level Readings		CPCB Standards dB(A)
		Day (12.40 P.M )	Night (10.30 P.M.)	
Near Main Gate	dB(A)	60.2	55.7	During Day time = 75 dB (A) During Night time= 70 dB(A)
Near Sugar House & Liquor Gate	dB(A)	63.8	57.2	
Near Cane Yard	dB(A)	72.5	66.3	
Near Distillery & Country Liquor	dB(A)	69.5	65.4	
Remark-				
➤ Centre Pollution Control Board (CPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time.				
		 Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By		
*** END OF REPORT***				
<b>Terms and conditions</b>				
1. The report is refer only to the sample tested and not applies to the bulk.				
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.				
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, distric.				
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.				
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.				
6. MoEF approved lab by Govt. of India. From date: 18/02/2022 to 28/02/2024.				
				Page 1 of 1



**GREEN ENVIROSAFE**  
Engineers & Consultant Pvt Ltd.

A-7/2/C-11, Capital City, Takwad - Chakan Road, Chakan MIDC, PNH Village Nigohi, In. Kherd.  
Dist. Pune-411001. Mob - 9145084020, 8421304421. CN No. : U74900PP42013FTC149568  
E-mail - envirosafe@yahoo.com, green17@gmail.com | www.greenenvirosafe.co.in

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB) and ISO/IEC 17025:2017 (NABL), ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No: -	GESEC/PRO/ANLM/2022-23/11/818	Report Date	25/11/2022	
Sample ID: -	GESEC/PRO/ANLM/2022-23/11/818			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. 1 Post - Sakharale, Tal: Walwa, Dist.: Sangli, State: Maharashtra.			
Ambient Noise Sample Details				
Type	Ambient Noise			
Sampling done by	GESEC			
Standard method	As Per IS: 9889:2020			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
23/11/2022	22/11/2022	23/11/2022	25/11/2022	
Name Of Instrument	Digital Sound Level Meter	Date Of Calibration	17/10/2022	
Calibration Certificate No.	SSEC/ML/266	Due Date of Calibration	16/10/2023	
Test Location	Unit	Average Noise Level Readings		CPCB Standards dB(A)
		Day (12.50 P.M.)	Night (11.00 P.M.)	
Sakharale Road Near Bagasse Yard	dB(A)	63.3	55.8	During Day time = 75 dB (A)
Takari Road Near Stack	dB(A)	64.0	58.5	During Night time= 70 dB(A)
<b>Remark-</b> Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during Day Time and 70 dB (A) as an upper limit of Noise Level during Night Time.				
		 Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By		

\*\*\*END OF REPORT\*\*\*

Page 1 of 1

**Terms and conditions**

- The report is valid only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MSL approved Lab by Govt. of India. From date: 16/03/2017 to 25/02/2026.



A-70/D-11, Capital City, Telwadi - Changan Road, Chokim MIDC, PH-IV  
 Village Nighoj, Tal. Khed, Dist. Pune-410 501, Maharashtra.  
 Mob:- 9545094828, 8421265401 | CIN No.: U74900PN2013PTC149986  
 E-mail: envirosafeptyr@gmail.com, gesec12@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
 ISO 9001:2015, ISO 45001:2018 and ISO 14001:2015 Certified Company

TEST REPORT				
Test Report No: -	GESEC/PRO/WNLM/2022-23/11/841	Report Date	01/12/2022	
Sample ID: -	GESEC/PRO/WNLM/2022-23/11/841			
Name & Address of the Customer	M/s. Rajarambapu Patil S.S.K. Ltd., Unit No. IV Post-Tippehalli, Tal:Jath, Dist.: Sangli, State: Maharashtra.			
Work Zone Noise Sample Details				
Type	Work Zone Noise			
Sampling done by	GESEC			
Standard method	As Per IS: 9989:2020			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
26/11/2022	27/11/2022	28/11/2022	01/12/2022	
Name of Instrument	Sound Level Meter	Date of Calibration	07/10/2022	
Calibration Certificate No.	SSEC/ME/260	Due Date of Calibration	06/10/2023	
Test Location	Unit	Average Noise Level Readings		The Factories Act 1948, standards
		Day (11.40 A.M)	Night (11.30 P.M.)	
Mill Section	dB(A)	87.4	84.3	≤ 90
Boiling Section	dB(A)	85.9	83.8	
Sugar House	dB(A)	81.3	78.5	
<b>Remark-</b> > The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure. > All above results are within Factories Act 1948 Standards.				
				 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date: 16/02/2002 to 25/02/2004.

**Annexure XVII**

Photographs of acoustic hood and enclosure of DG set





**Annexure XVIII**

Photographs of CER activities



**Annexure XIX**

Photographs of foundation work of CPU & stack



CPU



Stack



ESP

## Annexure XX

Acknowledgement copy from concerned departments

इसपत्रा इजि/ EC/ 5558 / 2022 Date - 26-03-2022  
 28 MAR 2022

पति,  
 मा सरपंच / कामरेवक  
 ग्रामपंचायत, साखराले

विषय - कारखान्याच्या आसवनी प्रकल्प क्षमता विस्तारास पर्यावरण विषयक मंजूरी मिळालेबाबत,  
 नोंदव.


आम्हाच्या कारखान्याच्या प्रस्तावित आसवनी प्रकल्प क्षमताविस्तार ७५ किलोमीटर प्रतिदिन पासून १५० किलोमीटर प्रतिदिन या प्रकल्पासाठी पर्यावरण, वन आणि हवामानबदल मंत्रालय, भारत सरकार यांचेकडून दिनांक २३/०३/२०२२ च्या EC ओळखपत्र क्रं E.C.22.A022MH153726 या पत्रानुसार पर्यावरण विषयक मंजूरी (Environment Clearance) मिळाली असून त्याची प्रत आपले अधिकारीसाठी सोबत देण्यात येत आहे.

आपला विश्वासू  
 कायेकारी संचालक

सोबत - मंजूरी पत्र

Received  
 24/3/2022

ग्रामपंचायत अधिकारी  
 ग्रामपंचायत साखराले  
 ता. साखराले, जि. सांगली



Ref. No. Env. Engg. - EC/5356/2022

Date - 26/03/2022

To:

Hon. Collector &c.

Collector Office, Sangli

28 MAR 2022

Subject - Submission of Environmental Clearance copy (For Distillery expansion Project)

Dear Sir,

With reference to above mentioned subject, we are submitting Environmental Clearance copy issued by Ministry of Environment, Forest and Climate Change, New Delhi for our Distillery expansion project from 75 kL PD to 150 kL PD vide EC identification no EC.22.A022MH1153726 or dated 24/03/2022. Copy of the same is attached herewith for your reference.

Thanking you

Yours Faithfully

*Karan*  
Managing Director

Attached - Environmental Clearance copy

92/2013/22

Ref. No. Env. Engg. / EC/5558 / 2022

Date - 26/03/2022

To,

28 MAR 2022

Sub-Regional Office,

Maharashtra Pollution Control Board,

Udaog Bhavan, Sangli - 416 416

Subject - Submission of Environmental Clearance copy (For Distillery expansion Project)


Dear Sir,


With reference to above mentioned subject, we are submitting Environmental Clearance copy issued by Ministry of Environment, Forest and Climate Change, New Delhi for our Distillery expansion project from 75 KLPD to 150 KLPD vide EC identification no EC22.A022MH153726 on date 24/03/2022. Copy of the same is attached herewith for your reference.

Thanking you

Yours Faithfully

  
Managing Director

  
28 03 2022  
वरिष्ठ लिपिक,  
महाराष्ट्र प्रदुषण नियंत्रण बोर्ड,  
सांगली.



Ref. No. Env. Engg. / EC/5758, 2022

Date - 26/03/2022

To,

Regional Officer,

Maharashtra Pollution Control Board,

Udaog Bhavan, Near Collector Office,

Kolhapur - 416 003

Subject - Submission of Environmental Clearance copy (For Distillery expansion Project)

Dear Sir,

With reference to above mentioned subject, we are submitting Environmental Clearance copy issued by Ministry of Environment, Forest and Climate Change, New Delhi for our Distillery expansion project from 75 KLPD to 150 KLPD vide EC identification no EC.22.A022MH153726 on dated 24/03/2022. Copy of the same is attached herewith for your reference.

Thanking you

Yours Faithfully

*[Signature]*  
Managing Director

redline

Attached - Environmental Clearance copy

RECEIVED  
M.P.C.B. COLHAPUR  
26/03/2022

A-  
26/03/2022  
9/05/2022

Ref. No. Env. Engg. / EC/5556 / 2022

Date - 26/03/2022

To,

Block Development Officer (B.D.O.)

Panchayat Samiti Islampur

Near S.T. stand, Islampur

Subject - Submission of Environmental Clearance copy (For Distillery expansion Project)

Dear Sir,

With reference to above mentioned subject, we are submitting Environmental Clearance copy issued by Ministry of Environment, Forest and Climate Change, New Delhi for our Distillery expansion project from 75 KLPD to 150 KLPD vide EC identification no EC.22A022MH153726 on dated 24-03-2022. Copy of the same is attached herewith for your reference.

Thanking you

Yours Faithfully

  
Managing Director

Attached - Environmental Clearance copy

realme  
S. S. Vaidya  
B. D. O.

26/03/22  
Copy to  
B. D. O.  
R. S. Vaidya